


## 8GB Computer memory DDR3 for Asus M32AD-VN005D UDIMM



#### PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



### Memory Specification

▪ 133.35mm			
DDR3 UDIMW warranty void if removed	9.5mm	17.3mm	30mm
	t		

Memory technologyDDR3ECC supportnoJEDEC NormPC3-10600UDRAM OrganizationS12Mx8Rank2Rx8TypeUDIMM (Non-ECC unbuffered)Number of pins240 Pin DIMMMemory data transfer rate1333MHz @ CL9Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperatureo° C - 85° CRoHS compliantYes	Memory size	8GB
JEDEC NormPC3-10600UDRAM Organization512Mx8Rank2Rx8TypeUDIMM (Non-ECC unbuffered)Number of pins240 Pin DIMMMemory data transfer rate1333MHz @ CL9Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Memory technology	DDR3
DRAM Organization512Mx8Rank2Rx8TypeUDIMM (Non-ECC unbuffered)Number of pins240 Pin DIMMMemory data transfer rate1333MHz @ CL9Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	ECC support	ΠΟ
Rank2Rx8TypeUDIMM (Non-ECC unbuffered)Number of pins240 Pin DIMMMemory data transfer rate1333MHz @ CL9Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	JEDEC Norm	PC3-10600U
TypeUDIMM (Non-ECC unbuffered)Number of pins240 Pin DIMMMemory data transfer rate1333MHz @ CL9Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	DRAM Organization	512Mx8
Number of pins240 Pin DIMMMemory data transfer rate1333MHz @ CL9Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Rank	2Rx8
Memory data transfer rate1333MHz @ CL9Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Туре	UDIMM (Non-ECC unbuffered)
Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Number of pins	240 Pin DIMM
Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Memory data transfer rate	1333MHz @ CL9
Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Speciality	-
Storage temperature-40° C - +95° C	Board dimensions	133,35 x 30 (LxB mm)
	Operating temperature	0° C - 85° C
RoHS compliant Yes	Storage temperature	-40° C - +95° C
	RoHS compliant	Yes
<b>SKU</b> SP193637	SKU	SP193637
<b>EAN</b> 4055069621518	EAN	4055069621518
<b>SKU</b> SP193637	Operating temperature Storage temperature RoHS compliant	0° C - 85° C -40° C - +95° C Yes

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



#### System Specifications

The memory is 100% compatible with this sytem:

System manufacturer	Asus
Device type	Desktop
Device family	Desktop M
Device series	M32AD Serie
Device name	M32AD-VN005D
Standard memory	4GB (1x4GB)
Maximum memory*	16GB
Number of memory sockets	2

\* The specifications for the maximum memory upgrade may differ from those of the manufacturer Asus. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

#### Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
- Do not touch the gold pins of the memory module
- Only touch the sides of the memory module
- Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.

# phs memory®

#### Further memory options for Asus M32AD-VN005D

Size	SKU	Technology	Туре	Number of pins	Brand	Reference no.
4GB	SP193636	DDR3	UDIMM (Non- ECC unbuffered)	240 Pin DIMM	PHS-memory®	
8GB	SP193637	DDR3	UDIMM (Non- ECC unbuffered)	240 Pin DIMM	PHS-memory®	

#### PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.

For more information on warranty and service please visit https://www.phs-memory.es/-W5Y



#### Contact Information

PHS-electronic gmbh - www.phs-memory.es -Karl-Götz-Str. 5 97424 Schweinfurt Alemania Phone: +49 9721 784678 E-Mail: info@phs-memory.es Web: www.phs-memory.es

All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at https://www.phs-memory.es