

128GB Computer memory DDR4 for ASRock Fatal1ty X99M Killer/3.1 RDIMM 3DS





Your benefits ✓ verified quality memory ✓ 5 years warranty Warranty details see last page ✓ 100% compatible ✓ free support on our hotline ✓ fast delivery

PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



Memory Specification



Memory size	128GB		
Memory technology	DDR4		
ECC support	yes		
JEDEC Norm	PC4-23400-R		
DRAM Organization	3DS 2H 8Gx4		
Rank	4Rx4 (2S2Rx4)		
Туре	RDIMM (ECC Registered) 3DS		
Number of pins	288 Pin DIMM		
Memory data transfer rate	2933MHz @ CL21		
Voltage	1,2 Volt		
Speciality	3DS		
Board dimensions	133,35 x 31,25 (LxB mm)		
Operating temperature	0° C - 85° C		
Storage temperature	-40° C - +95° C		
RoHS compliant	yes		
SKU	SP466501		
EAN	4067488300134		

overRAMing - maximize your RAM



Most systems - including the ASRock Fatal1ty X99M Killer/3.1 - can be upgraded with more memory than originally specified by the device manufacturer.

Therefore, our memory specialists continuously analyze new memory solutions in selected systems. Due to improved manufacturing technologies, new memories with higher performance and capacity will be tested for stability and functionality.

Then the new memory solutions are released for the respective systems. Use the benefits of larger computer memory capacity with the PHSmemory® overRAMing memory solutions.

https://www.phs-memory.es/-BOR

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



System Specifications

The memory is 100% compatible with this sytem:

ASRock
Motherboard-memory
Fatal1ty
X99 Serie
Fatal1ty X99M Killer/3.1
1TB / 256GB according to manufacturer
4

^{*} The specifications for the maximum memory upgrade may differ from those of the manufacturer ASRock. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

Memory modules with our overRAMing-symbol are approved by us for maximum memory expansion.

Information on memory allocation

Which memory configuration is possible?

memory for Core i7 5th Generation CPU:

- Optimal performance is achieved by 4 or 8 identical memories per CPU.
- If an i7 processor is used, UDIMM memory modules must be installed.

memory for Xeon CPU:

- When using an XEON CPU, ECC and RDIMM memory must be used.
- The device supports ECC DIMM (with error correction code) or RDIMM (Registered DIMM) RAM memories. RDIMM
 memories are recommended when large memory capacities are to be achieved.
- The different memory technologies (ECC / RDIMM) may not be mixed.
- If a memory expansion is to be made with the already existing RAM memories, it must be checked which memory technology (ECC/ RDIMM) is already installed in the system.

CPU im System	UDIMM	UDIMM ECC	RDIMM	
Core i7	4GB UDIMM			
	8GB UDIMM			
	16GB UDIMM			
	32GB UDIMM			



Xeon E5	8GB UDIMM ECC	8GB RDIMM
		16GB RDIMM
		32GB RDIMM
		64GB RDIMM DDP
		128GB RDIMM 3DS
		256GB RDIMM 3DS

Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
 - Do not touch the gold pins of the memory module
- Only touch the sides of the memory module
- Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.



Further memory options for ASRock Fatal1ty X99M Killer/3.1

8GBSP246371DDR4UDIMM (Non-ECC unbuffered)288 Pin DIMMPHS-memory®8GBSP246368DDR4UDIMM ECC (ECC unbuffered)288 Pin DIMMPHS-memory®16GBSP246370DDR4UDIMM (Non-ECC unbuffered)288 Pin DIMMPHS-memory®32GBSP304543DDR4UDIMM (Non-ECC unbuffered)288 Pin DIMMPHS-memory®32GBSP246369DDR4RDIMM (ECC Registered)288 Pin DIMMPHS-memory®64GBSP466500DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®128GBSP466501DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®256GBSP466505DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®	Size	SKU	Technology	Туре	Number of pins	Brand	Reference no.
(ECC unbuffered) 16GB SP246370 DDR4 UDIMM (Non-ECC unbuffered) 288 Pin DIMM PHS-memory® 32GB SP304543 DDR4 UDIMM (Non-ECC unbuffered) 288 Pin DIMM PHS-memory® 32GB SP246369 DDR4 RDIMM (ECC Registered) 288 Pin DIMM PHS-memory® 64GB SP466500 DDR4 RDIMM (ECC Registered) 3DS 288 Pin DIMM PHS-memory® 128GB SP466501 DDR4 RDIMM (ECC Registered) 3DS 288 Pin DIMM PHS-memory® 256GB SP466505 DDR4 RDIMM (ECC Registered) 3DS 288 Pin DIMM PHS-memory®	8GB	SP246371	DDR4	ECC	288 Pin DIMM	PHS-memory®	
ECC unbuffered) 32GB SP304543 DDR4 UDIMM (Non-ECC unbuffered) 288 Pin DIMM PHS-memory® 32GB SP246369 DDR4 RDIMM (ECC Registered) 288 Pin DIMM PHS-memory® 64GB SP466500 DDR4 RDIMM (ECC Registered) 288 Pin DIMM PHS-memory® 128GB SP466501 DDR4 RDIMM (ECC Registered) 288 Pin DIMM PHS-memory® 256GB SP466505 DDR4 RDIMM (ECC Registered) 288 Pin DIMM PHS-memory®	8GB	SP246368	DDR4	(ECC	288 Pin DIMM	PHS-memory®	
ECC unbuffered) 32GB SP246369 DDR4 RDIMM (ECC Registered) 64GB SP466500 DDR4 RDIMM (ECC Registered) 3DS 128GB SP466501 DDR4 RDIMM (ECC Registered) 3DS 256GB SP466505 DDR4 RDIMM (ECC 288 Pin DIMM PHS-memory® Registered) 3DS 258 Pin DIMM PHS-memory® PHS-memory® PHS-memory® PHS-memory® PHS-memory® PHS-memory®	16GB	SP246370	DDR4	ECC	288 Pin DIMM	PHS-memory®	
Registered) 64GB SP466500 DDR4 RDIMM (ECC Registered) 3DS 288 Pin DIMM PHS-memory® 128GB SP466501 DDR4 RDIMM (ECC Registered) 3DS 288 Pin DIMM PHS-memory® 256GB SP466505 DDR4 RDIMM (ECC 288 Pin DIMM PHS-memory®	32GB	SP304543	DDR4	ECC	288 Pin DIMM	PHS-memory®	
Registered) 3DS 128GB SP466501 DDR4 RDIMM (ECC Registered) 3DS 256GB SP466505 DDR4 RDIMM (ECC 288 Pin DIMM PHS-memory®	32GB	SP246369	DDR4	•	288 Pin DIMM	PHS-memory®	
Registered) 3DS 256GB SP466505 DDR4 RDIMM (ECC 288 Pin DIMM PHS-memory®	64GB	SP466500	DDR4	•	288 Pin DIMM	PHS-memory®	
	128GB	SP466501	DDR4		288 Pin DIMM	PHS-memory®	
	256GB	SP466505	DDR4		288 Pin DIMM	PHS-memory®	

PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.

For more information on warranty and service please visit https://www.phs-memory.es/-W5Y



Contact Information

PHS-electronic gmbh
- www.phs-memory.es Karl-Götz-Str. 5
97424 Schweinfurt
Alemania

Phone: +49 9721 784678 E-Mail: info@phs-memory.es Web: www.phs-memory.es

Product Datasheet | SP466501 128GB Computer memory for Fatal1ty X99M Killer/3.1



All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at https://www.phs-memory.es