phs memory®

4GB Computer memory DDR3 for Toshiba NB550D-10G SO DIMM



PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



Memory Specification



Memory technologyDDR3ECC supportnoJEDEC NormPC3-10600STypeSO DIMMNumber of pins204 Pin DIMMMemory data transfer rate1333MHz @ CL9Speciality-Board dimensions67,6 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Memory size	4GB
JEDEC NormPC3-10600STypeSO DIMMNumber of pins204 Pin DIMMMemory data transfer rate1333MHz @ CL9Speciality-Board dimensions67,6 x 30 (LxB mm)Operating temperature0° C - 85° C	Memory technology	DDR3
TypeSO DIMMNumber of pins204 Pin DIMMMemory data transfer rate1333MHz @ CL9Speciality-Board dimensions67,6 x 30 (LxB mm)Operating temperature0° C - 85° C	ECC support	no
Number of pins204 Pin DIMMMemory data transfer rate1333MHz @ CL9Speciality-Board dimensions67,6 x 30 (LxB mm)Operating temperature0° C - 85° C	JEDEC Norm	PC3-10600S
Memory data transfer rate1333MHz @ CL9Speciality-Board dimensions67,6 x 30 (LxB mm)Operating temperature0° C - 85° C	Туре	SO DIMM
Speciality-Board dimensions67,6 × 30 (LxB mm)Operating temperature0° C - 85° C	Number of pins	204 Pin DIMM
Board dimensions67,6 × 30 (LxB mm)Operating temperature0° C - 85° C	Memory data transfer rate	1333MHz @ CL9
Operating temperature 0° C - 85° C	Speciality	-
	Board dimensions	67,6 x 30 (LxB mm)
Storage temperature -40° C - +95° C	Operating temperature	0° C - 85° C
	Storage temperature	-40° C - +95° C
RoHS compliant Yes	RoHS compliant	Yes
SKU SP218371	SKU	SP218371
EAN 4055069864038	EAN	4055069864038

overRAMing maximize your RAM



Most systems - including the Toshiba NB550D-10G - can be upgraded with more memory than originally specified by the device manufacturer.

Therefore, our memory specialists continuously analyze new memory solutions in selected systems. Due to improved manufacturing technologies, new memories with higher performance and capacity will be tested for stability and functionality. Then the new memory solutions are released for the respective systems.

Use the benefits of larger computer memory capacity with the PHSmemory® overRAMing memory solutions.

https://www.phs-memory.es/-BOR

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



System Specifications

The memory is 100% compatible with this sytem:

System manufacturer	Toshiba
Device type	Netbook
Device family	Netbook NB
Device series	NB550 Serie
Device name	NB550D-10G
Standard memory	1GB (1x1GB)
Maximum memory*	8GB / 2GB according to manufacturer
Number of memory sockets	1

* The specifications for the maximum memory upgrade may differ from those of the manufacturer Toshiba. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

Memory modules with our overRAMing-symbol are approved by us for maximum memory expansion.

Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
- Do not touch the gold pins of the memory module
- Only touch the sides of the memory module
- Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.



Further memory options for Toshiba NB550D-10G

Size	SKU	Technology	Туре	Number of pins	Brand	Reference no.
4GB	SP218371	DDR3	SO DIMM	204 Pin DIMM	PHS-memory®	
8GB	SP218372	DDR3	SO DIMM	204 Pin DIMM	PHS-memory®	

PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.

For more information on warranty and service please visit https://www.phs-memory.es/-W5Y

5 Jahre Garantie

Contact Information

PHS-electronic gmbh - www.phs-memory.es -Karl-Götz-Str. 5 97424 Schweinfurt Alemania Phone: +49 9721 784678 E-Mail: info@phs-memory.es Web: www.phs-memory.es

All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at https://www.phs-memory.es