

32GB Computer memory DDR4 for Siemens SIMATIC RACK PC IPC547G (6AG4104-4....-....) mainboard D3445 UDIMM



83,03 EUR

plus VAT

98,80 EUR

incl. VAT

en stock

<https://www.phs-memory.es>

Version: 08.09.2025 12:38


Your benefits

- ✓ verified quality memory
- ✓ 5 years warranty
Warranty details see last page
- ✓ 100% compatible
- ✓ free support on our hotline
- ✓ fast delivery

PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device - depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel

Memory Specification



Memory size	32GB
Memory technology	DDR4
ECC support	no
JEDEC Norm	PC4-2400T-U
DRAM Organization	2Gx8
Rank	2Rx8
Type	UDIMM (Non-ECC unbuffered)
Number of pins	288 Pin DIMM
Memory data transfer rate	2400MHz @ CL17
Voltage	1,2 Volt
Speciality	-
Board dimensions	133,35 x 31,25 (LxB mm)
Operating temperature	0° C - 85° C
Storage temperature	-40° C - +95° C
RoHS compliant	yes
SKU	SP469653
EAN	4067488331879

overRAMing - maximize your RAM



overRAMing Project

Most systems - including the Siemens SIMATIC RACK PC IPC547G (6AG4104-4.....) Mainboard D3445 - can be upgraded with more memory than originally specified by the device manufacturer.

Therefore, our memory specialists continuously analyze new memory solutions in selected systems. Due to improved manufacturing technologies, new memories with higher performance and capacity will be tested for stability and functionality.

Then the new memory solutions are released for the respective systems. Use the benefits of larger computer memory capacity with the PHS-memory® overRAMing memory solutions.

<https://www.phs-memory.es/-BOR>

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.

System Specifications

The memory is 100% compatible with this system:

System manufacturer	Siemens
Device type	Industrial pc
Device family	Simatic
Device series	Rack PC Serie
Device name	SIMATIC RACK PC IPC547G (6AG4104-4.....) Mainboard D3445
Standard memory	4GB
Maximum memory*	64GB / 32GB according to manufacturer
Number of memory sockets	2

* The specifications for the maximum memory upgrade may differ from those of the manufacturer Siemens. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

Memory modules with our overRAMing-symbol are approved by us for maximum memory expansion.

Information on memory allocation

What should be considered when upgrading RAM?

- Der schnelle Dual Channel Mode Betrieb wird bei der paarweisen Installation der memory optimal supports
- If you have a Core i5 or Core i7 processor, you can only use the UDIMM memory
- If you are using a Xeon processor, you can use ECC UDIMM memory or UDIMM memory without ECC
- Die ECC Funktion wird nur dann supports, wenn alle eingesetzten Computer memory UDIMM ECC memory sind.

Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
 - Do not touch the gold pins of the memory module
 - Only touch the sides of the memory module
 - Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.

Further memory options for Siemens SIMATIC RACK PC IPC547G (6AG4104-4....-....) Mainboard D3445

Size	SKU	Technology	Type	Number of pins	Brand	Reference no.
4GB	SP365659	DDR4	UDIMM (Non-ECC unbuffered)	288 Pin DIMM	PHS-memory®	
8GB	SP365658	DDR4	UDIMM (Non-ECC unbuffered)	288 Pin DIMM	PHS-memory®	6ES7648-2AL70-0QA0
8GB	SP365655	DDR4	UDIMM ECC (ECC unbuffered)	288 Pin DIMM	PHS-memory®	6ES7648-2AL70-1QA0
16GB	SP365657	DDR4	UDIMM ECC (ECC unbuffered)	288 Pin DIMM	PHS-memory®	6ES7648-2AL80-1QA0
16GB	SP365656	DDR4	UDIMM (Non-ECC unbuffered)	288 Pin DIMM	PHS-memory®	6ES7648-2AL80-0QA0
32GB	SP469653	DDR4	UDIMM (Non-ECC unbuffered)	288 Pin DIMM	PHS-memory®	
32GB	SP469651	DDR4	UDIMM ECC (ECC unbuffered)	288 Pin DIMM	PHS-memory®	

PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.

For more information on warranty and service please visit <https://www.phs-memory.es/-W5Y>



Contact Information

PHS-electronic gmbh
- www.phs-memory.es -
Karl-Götz-Str. 5
97424 Schweinfurt
Alemania

Phone: +49 9721 784678
E-Mail: info@phs-memory.es
Web: www.phs-memory.es

All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at <https://www.phs-memory.es>