

8GB Computer memory DDR3 for Fujitsu CELSIUS C620 (D3067) UDIMM

phs memory®
24,54 EUR plus VAT 29,20 EUR incl. VAT
en stock https://www.phs-memory.es Version: 18.07.2025 06:36
Your benefits
verified quality memory
S years warranty Warranty details see last page
✓ 100% compatible
✓ free support on our hotline
✓ fast delivery

PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



Memory Specification

◄ 133.35mm		
DDR3 UDIMM waranty void if removed	30m	hm
→ 54.68mm		

Number of pins240 Pin DIMMemory data transfer rate1333MHz @Speciality-Board dimensions133,35 x 30Operating temperature0° C - 85° CStorage temperature-40° C - +95°RoHS compliantYes	
JEDEC NormPC3-106000DRAM Organization512Mx8Rank2Rx8TypeUDIMM (NoNumber of pins240 Pin DIMMemory data transfer rate1333MHz @Speciality-Board dimensions133,35 x 30Operating temperature0° C - 85° CStorage temperature-40° C - +95°RoHS compliantYes	
DRAM Organization512Mx8Rank2Rx8TypeUDIMM (NoNumber of pins240 Pin DIMMemory data transfer rate1333MHz @Speciality-Board dimensions133,35 x 30Operating temperature0° C - 85° CStorage temperature-40° C - +95°RoHS compliantYes	
Rank2Rx8TypeUDIMM (NoNumber of pins240 Pin DIMMemory data transfer rate1333MHz @Speciality-Board dimensions133,35 x 30Operating temperature0° C - 85° CStorage temperature-40° C - +95°RoHS compliantYes	U
TypeUDIMM (NoNumber of pins240 Pin DIMMemory data transfer rate1333MHz @Speciality-Board dimensions133,35 x 30Operating temperature0° C - 85° CStorage temperature-40° C - +95°RoHS compliantYes	
Number of pins240 Pin DIMMemory data transfer rate1333MHz @Speciality-Board dimensions133,35 x 30Operating temperature0° C - 85° CStorage temperature-40° C - +95°RoHS compliantYes	
Memory data transfer rate1333MHz (a)Speciality-Board dimensions133,35 x 30Operating temperature0° C - 85° CStorage temperature-40° C - +95°RoHS compliantYes	on-ECC unbuffered)
Speciality-Board dimensions133,35 x 30Operating temperature0° C - 85° CStorage temperature-40° C - +95°RoHS compliantYes	ММ
Board dimensions133,35 x 30Operating temperature0° C - 85° CStorage temperature-40° C - +95°RoHS compliantYes	@ CL9
Operating temperature0° C - 85° CStorage temperature-40° C - +95°RoHS compliantYes	
Storage temperature-40° C - +95°RoHS compliantYes) (LxB mm)
RoHS compliantYes	
	5° C
CK II CD15(025	
SKU SP156825	
EAN 405506924	44618
	5° C

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



System Specifications

The memory is 100% compatible with this sytem:

System manufacturer	Fujitsu
Device type	Workstation
Device family	CELSIUS
Device series	C600 Serie
Device name	CELSIUS C620 (D3067)
Maximum memory*	32GB
Number of memory sockets	4

* The specifications for the maximum memory upgrade may differ from those of the manufacturer Fujitsu. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
- Do not touch the gold pins of the memory module
- Only touch the sides of the memory module
- Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.



Further memory options for Fujitsu CELSIUS C620 (D3067)

Size	SKU	Technology	Туре	Number of pins	Brand	Reference no.
4GB	SP151105	DDR3	UDIMM (Non- ECC unbuffered)	240 Pin DIMM	PHS-memory®	S26361-F3384-L 3
4GB	SP151103	DDR3	UDIMM ECC (ECC unbuffered)	240 Pin DIMM	PHS-memory®	S26361-F3385-L 3
8GB	SP151104	DDR3	UDIMM ECC (ECC unbuffered)	240 Pin DIMM	PHS-memory®	S26361-F3385-L 4
8GB	SP156825	DDR3	UDIMM (Non- ECC unbuffered)	240 Pin DIMM	PHS-memory®	S26361-F3384-L 4

PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.

For more information on warranty and service please visit https://www.phs-memory.es/-W5Y



Contact Information

PHS-electronic gmbh - www.phs-memory.es -Karl-Götz-Str. 5 97424 Schweinfurt Alemania Phone: +49 9721 784678 E-Mail: info@phs-memory.es Web: www.phs-memory.es

All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at https://www.phs-memory.es